L Number	Hits	Search Text	DB	Time stamp
- -	5394	instruction and segment and recording	USPAT; US-PGPUB; EPO; JPO;	2003/09/11 07:25
-	3998	(instruction and segment and recording) and @ad<=20001109	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/09 13:42
-	216	((instruction and segment and recording) and @ad<=20001109) and reverse adj order	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/07
-	8119	(trace or flow) near3 (cache or buffer) and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/09 14:58
-	2782	(trace or flow) near (cache or buffer) and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/09 14:58
-	1017	((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/09 15:00
-	5	((trace or flow) near (cache or buffer) and @ad<=20001109) and (instruction adj segment)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11
-	284	(((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)) and segment	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/09 15:09
-	91	trace adj cache and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/06 15:24
-	303	stor\$4 near3 ((data adj structure) or string or stack) same (reverse or backwards) and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/11 08:59
-	1	combin\$4 near3 multiple near3 trace and cache and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/11 09:09
-	6	redundant near5 trace and cache and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/11
-	693	(append or add) adj2 (front or head) and @ad<=20001109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/16 13:24
-	162	((append or add) adj2 (front or head) and @ad<=20001109) and comput\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/16 11:36

Search History 5/12/04 9:00:04 AM Page 1

-	531	((append or add) adj2 (front or head) and	USPAT;	2003/09/16
		@ad<=20001109) not (((append or add) adj2	US-PGPUB;	11:38
		(front or head) and @ad<=20001109) and	EPO; JPO;	
		comput\$4)	DERWENT;	
	<b>{</b>		IBM_TDB	
-	3248		USPAT;	2003/09/16
		pointer and @ad<=20001109	US-PGPUB;	13:25
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1871		USPĀT;	2003/09/16
		pointer and @ad<=20001109) and (append or	US-PGPUB;	13:27
ĺ		reverse or update)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	630	(	USPAT;	2003/09/16
	İ	pointer and @ad<=20001109) and (append or	US-PGPUB;	15:21
		reverse or update)) and cache	EPO; JPO;	1
1			DERWENT;	
1			IBM_TDB	
-	313	712/200.ccls. and @ad<=20001109	USPAT;	2003/09/17
			US-PGPUB;	08:39
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	211	krishnamoorthy.in.	USPAT;	2004/05/06
			US-PGPUB;	15:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	krishnamoorthy.in. and hooper.in. and	USPAT;	2004/05/06
		bixby.in.	US-PGPUB;	15:30
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	0	witt.in. and "method and apparatus for	USPAT;	2004/05/06
		testing".ab.	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	
	2270		IBM_TDB	
-	3378	witt.in.	USPAT;	2004/05/06
			US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	
1_	16	witt.in. and testing and reversed	IBM_TDB	2004/05/26
	""	with and testing and reversed	USPAT;	2004/05/06
			US-PGPUB; EPO; JPO;	15:31
			DERWENT;	
			IBM TDB	
-	14349	sort\$4 with (array or list or instruction	USPAT;	2004/05/07
	1,3,3	or (data adj structure))	US-PGPUB;	10:32
		or (auta da) berueture//	EPO; JPO;	10.32
			DERWENT;	
	1		IBM TDB	j i
1 -	115	(sort\$4 with (array or list or	USPAT;	2004/05/07
	1	instruction or (data adj structure)))	US-PGPUB;	10:49
	1	with (reverse or inverse or backward)	EPO; JPO;	*****
I	1	Later (120,0120 of hiteline of backward)	DERWENT;	
	1		IBM TDB	
-	364	instruction with (reverse adj2 order)	USPAT;	2004/05/07
		Land Land (Levelbe dajz Oldel)	US-PGPUB;	11:11
			EPO; JPO;	
1			DERWENT;	
	1		IBM TDB	
-	62	instruction with (stor\$4 or sav\$4 or	USPAT;	2004/05/07
1	1	record\$4) with (reverse adj2 order)	US-PGPUB;	10:50
1			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
<b> </b> -	10	5611061.URPN.	USPAT	2004/05/07
			<del></del>	10:59
				·

-	333	instruction with (reverse adj order)	USPAT;	2004/05/07
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	11:11
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
] _	14	reverse adj program adj order	USPAT;	2004/05/07
			US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT;	}
			IBM TDB	
-	186	trace adj cache	USPAT;	2004/05/11
		-	US-PGPUB;	10:52
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	60	(instruction adj segment).ab.	USPAT;	2004/05/11
	1		US-PGPUB;	10:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	7	(instruction adj segment).ti.	USPAT;	2004/05/11
			US-PGPUB;	10:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11013	(growing or appending or inserting or	USPAT;	2004/05/11
		adding) with (trace or segment or (basic	US-PGPUB;	10:57
		adj block))	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	20396	, , ,	USPAT;	2004/05/11
		adding or extending) near3 (trace or	US-PGPUB;	10:58
		segment or (basic adj block))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	47	,	USPAT;	2004/05/11
		adding or extending) near3 (instruction	US-PGPUB;	11:01
		near3 (trace or segment or (basic adj	EPO; JPO;	
	1	block)))	DERWENT;	
			IBM_TDB	
-	255		USPAT;	2004/05/11
	1	or extend\$3) with instruction with (trace	US-PGPUB;	11:03
		or (instruction adj segment))	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	